



# Analytical Laboratory

Page 1 of 16

13339 Hagers Ferry Road  
Huntersville, NC 28078-7929  
McGuire Nuclear Complex - MG03A2  
Phone: 980-875-5245 Fax: 980-875-4349

## Order Summary Report

**Order Number:** J13080300

Project Name: WWTS FGD-Routine 2013

Customer Name(s): WWTS Bill K, Wayne C, and Melonie M

Customer Address: 3195 Pine Hall Rd  
Mailcode: Belews Steam Station  
Belews Creek, NC 28012

Lab Contact: Jason C Perkins Phone: 980-875-5348

**Report Authorized By:** \_\_\_\_\_ **Date:** 9/16/2013  
**(Signature)** Jason C Perkins

---

### Program Comments:

Please contact the Program Manager (Jason C Perkins) with any questions regarding this report.

### Data Flags & Calculations:

Any analytical tests or individual analytes within a test flagged with a Qualifier indicate a deviation from the method quality system or quality control requirement. The qualifier description is found at the end of the Certificate of Analysis (sample results) under the qualifiers heading. All results are reported on a dry weight basis unless otherwise noted. Subcontracted data included on the Duke Certificate of Analysis is to be used as information only. Certified vendor results can be found in the subcontracted lab final report. Duke Energy Analytical Laboratory subcontracts analyses to other vendor laboratories that have been qualified by Duke Energy to perform these analyses except where noted.

### Data Package:

This data package includes analytical results that are applicable only to the samples described in this narrative. An estimation of the uncertainty of measurement for the results in the report is available upon request. This report shall not be reproduced, except in full, without the written consent of the Analytical Laboratory. Please contact the Analytical laboratory with any questions. The order of individual sections within this report is as follows:

*Job Summary Report, Sample Identification, Technical Validation of Data Package, Analytical Laboratory Certificate of Analysis, Analytical Laboratory QC Reports, Sub-contracted Laboratory Results, Customer Specific Data Sheets, Reports & Documentation, Customer Database Entries, Test Case Narratives, Chain of Custody (COC)*

### Certification:

The Analytical Laboratory holds the following State Certifications : North Carolina (DENR) Certificate #248, South Carolina (DHEC) Laboratory ID # 99005. Contact the Analytical Laboratory for definitive information about the certification status of specific methods.

Sample ID's & Descriptions:

Sample ID	Plant/Station	Collection Date and Time	Collected By	Sample Description
2013019588	BELEWS	14-Aug-13 7:30 AM	ILLEGIBLE	FGD Purge Eff
2013019589	BELEWS	14-Aug-13 7:35 AM	ILLEGIBLE	EQ Tank Eff
2013019590	BELEWS	14-Aug-13 7:40 AM	ILLEGIBLE	BioReactor 1 Inf
2013019591	BELEWS	14-Aug-13 7:45 AM	ILLEGIBLE	BioReactor 2 Inf
2013019592	BELEWS	14-Aug-13 7:50 AM	ILLEGIBLE	BioReactor 2 Eff
2013019593	BELEWS	25-Jul-13 2:00 PM	L. DAVIS	Filter Blk
2013019594	BELEWS	14-Aug-13 8:05 AM	ILLEGIBLE	TRIP BLANK
7 Total Samples				

## Technical Validation Review

### Checklist:

COC and .pdf report are in agreement with sample totals and analyses (compliance programs and procedures).

☒ Yes☐ No

All Results are less than the laboratory reporting limits.

☐ Yes☒ No

All laboratory QA/QC requirements are acceptable.

☒ Yes☐ No

### Report Sections Included:

☒ Job Summary Report☒ Sample Identification☒ Technical Validation of Data Package☒ Analytical Laboratory Certificate of Analysis☐ Analytical Laboratory QC Report☒ Sub-contracted Laboratory Results☐ Customer Specific Data Sheets, Reports, & Documentation☐ Customer Database Entries☒ Chain of Custody☒ Electronic Data Deliverable (EDD) Sent Separately

Reviewed By: DBA Account

Date: 9/16/2013

# Certificate of Laboratory Analysis

Page 4 of 16

*This report shall not be reproduced, except in full.***Order # J13080300**

Site: FGD Purge Eff

Collection Date: 14-Aug-13 7:30 AM

**Sample #: 2013019588**

Matrix: OTHER

Analyte	Result	Units	Qualifiers	RDL	DF	Method	Analysis Date/Time	Analyst
<b><u>NITRITE + NITRATE (COLORIMETRIC)</u></b>								
Nitrite + Nitrate (Colorimetric)	23	mg-N/L		0.25	25	EPA 353.2	08/19/2013 12:47	BGN9034
<b><u>INORGANIC IONS BY IC</u></b>								
Bromide	320	mg/L		5	50	EPA 300.0	08/22/2013 15:11	JAHERMA
<b><u>MERCURY (COLD VAPOR) IN WATER</u></b>								
Mercury (Hg)	245	ug/L		5	100	EPA 245.1	08/23/2013 09:10	DKJOHN2
<b><u>TOTAL RECOVERABLE METALS BY ICP</u></b>								
Boron (B)	360	mg/L		0.5	10	EPA 200.7	08/23/2013 09:55	MHH7131
<b><u>DISSOLVED METALS BY ICP-MS</u></b>								
Selenium (Se)	170	ug/L		10	10	EPA 200.8	08/19/2013 12:20	DJSULL1
<b><u>TOTAL RECOVERABLE METALS BY ICP-MS</u></b>								
Arsenic (As)	398	ug/L		10	10	EPA 200.8	08/20/2013 10:50	DJSULL1
Cadmium (Cd)	< 10	ug/L		10	10	EPA 200.8	08/20/2013 10:50	DJSULL1
Chromium (Cr)	537	ug/L		10	10	EPA 200.8	08/20/2013 10:50	DJSULL1
Copper (Cu)	266	ug/L		10	10	EPA 200.8	08/20/2013 10:50	DJSULL1
Nickel (Ni)	447	ug/L		10	10	EPA 200.8	08/20/2013 10:50	DJSULL1
Selenium (Se)	4870	ug/L		10	10	EPA 200.8	08/20/2013 10:50	DJSULL1
Silver (Ag)	< 10	ug/L		10	10	EPA 200.8	08/20/2013 10:50	DJSULL1
Zinc (Zn)	460	ug/L		10	10	EPA 200.8	08/20/2013 10:50	DJSULL1

**SELENIUM SPECIATION - (Analysis Performed by Applied Speciation and Consulting, LLC)**

Vendor Parameter	Complete	Vendor Method	V_AS&C
------------------	----------	---------------	--------

Site: EQ Tank Eff

Collection Date: 14-Aug-13 7:35 AM

**Sample #: 2013019589**

Matrix: OTHER

Analyte	Result	Units	Qualifiers	RDL	DF	Method	Analysis Date/Time	Analyst
<b><u>MERCURY (COLD VAPOR) IN WATER</u></b>								
Mercury (Hg)	173	ug/L		2.5	50	EPA 245.1	08/23/2013 09:12	DKJOHN2
<b><u>TOTAL RECOVERABLE METALS BY ICP</u></b>								
Boron (B)	331	mg/L		0.5	10	EPA 200.7	08/23/2013 09:59	MHH7131
<b><u>DISSOLVED METALS BY ICP-MS</u></b>								
Selenium (Se)	97.4	ug/L		10	10	EPA 200.8	08/19/2013 12:23	DJSULL1

# Certificate of Laboratory Analysis

Page 5 of 16

*This report shall not be reproduced, except in full.***Order # J13080300**

Site: EQ Tank Eff

Collection Date: 14-Aug-13 7:35 AM

**Sample #: 2013019589**

Matrix: OTHER

Analyte	Result	Units	Qualifiers	RDL	DF	Method	Analysis Date/Time	Analyst
<b><u>TOTAL RECOVERABLE METALS BY ICP-MS</u></b>								
Arsenic (As)	344	ug/L		10	10	EPA 200.8	08/20/2013 10:54	DJSULL1
Cadmium (Cd)	< 10	ug/L		10	10	EPA 200.8	08/20/2013 10:54	DJSULL1
Chromium (Cr)	444	ug/L		10	10	EPA 200.8	08/20/2013 10:54	DJSULL1
Copper (Cu)	230	ug/L		10	10	EPA 200.8	08/20/2013 10:54	DJSULL1
Nickel (Ni)	374	ug/L		10	10	EPA 200.8	08/20/2013 10:54	DJSULL1
Selenium (Se)	3920	ug/L		10	10	EPA 200.8	08/20/2013 10:54	DJSULL1
Silver (Ag)	< 10	ug/L		10	10	EPA 200.8	08/20/2013 10:54	DJSULL1
Zinc (Zn)	369	ug/L		10	10	EPA 200.8	08/20/2013 10:54	DJSULL1

Site: BioReactor 1 Inf

Collection Date: 14-Aug-13 7:40 AM

**Sample #: 2013019590**

Matrix: OTHER

Analyte	Result	Units	Qualifiers	RDL	DF	Method	Analysis Date/Time	Analyst
<b><u>NITRITE + NITRATE (COLORIMETRIC)</u></b>								
Nitrite + Nitrate (Colorimetric)	17	mg-N/L		0.25	25	EPA 353.2	08/19/2013 12:48	BGN9034

**Mercury by EPA 200.8 - (Analysis Performed by Applied Speciation and Consulting, LLC)**

Vendor Parameter	Complete	ug/l				Vendor Method		V_AS&C
------------------	----------	------	--	--	--	---------------	--	--------

**TOTAL RECOVERABLE METALS BY ICP**

Boron (B)	279	mg/L		0.5	10	EPA 200.7	08/23/2013 10:03	MHH7131
-----------	-----	------	--	-----	----	-----------	------------------	---------

**DISSOLVED METALS BY ICP-MS**

Selenium (Se)	84.6	ug/L		10	10	EPA 200.8	08/19/2013 12:27	DJSULL1
---------------	------	------	--	----	----	-----------	------------------	---------

**TOTAL RECOVERABLE METALS BY ICP-MS**

Arsenic (As)	< 10	ug/L		10	10	EPA 200.8	08/20/2013 10:57	DJSULL1
Cadmium (Cd)	< 10	ug/L		10	10	EPA 200.8	08/20/2013 10:57	DJSULL1
Chromium (Cr)	< 10	ug/L		10	10	EPA 200.8	08/20/2013 10:57	DJSULL1
Copper (Cu)	< 10	ug/L		10	10	EPA 200.8	08/20/2013 10:57	DJSULL1
Nickel (Ni)	16.5	ug/L		10	10	EPA 200.8	08/20/2013 10:57	DJSULL1
Selenium (Se)	79.5	ug/L		10	10	EPA 200.8	08/20/2013 10:57	DJSULL1
Silver (Ag)	< 10	ug/L		10	10	EPA 200.8	08/20/2013 10:57	DJSULL1
Zinc (Zn)	< 10	ug/L		10	10	EPA 200.8	08/20/2013 10:57	DJSULL1

**SELENIUM SPECIATION - (Analysis Performed by Applied Speciation and Consulting, LLC)**

Vendor Parameter	Complete					Vendor Method		V_AS&C
------------------	----------	--	--	--	--	---------------	--	--------

# Certificate of Laboratory Analysis

Page 6 of 16

*This report shall not be reproduced, except in full.***Order # J13080300**

Site: BioReactor 2 Inf

Collection Date: 14-Aug-13 7:45 AM

**Sample #: 2013019591**

Matrix: OTHER

Analyte	Result	Units	Qualifiers	RDL	DF	Method	Analysis Date/Time	Analyst
<b><u>Mercury by EPA 200.8 - (Analysis Performed by Applied Speciation and Consulting, LLC)</u></b>								
Vendor Parameter	<b>Complete</b>	ug/l				Vendor Method		V_AS&C
<b><u>TOTAL RECOVERABLE METALS BY ICP</u></b>								
Boron (B)	<b>276</b>	mg/L		0.5	10	EPA 200.7	08/23/2013 10:08	MHH7131
<b><u>TOTAL RECOVERABLE METALS BY ICP-MS</u></b>								
Arsenic (As)	<b>&lt; 10</b>	ug/L		10	10	EPA 200.8	08/20/2013 11:01	DJSULL1
Cadmium (Cd)	<b>&lt; 10</b>	ug/L		10	10	EPA 200.8	08/20/2013 11:01	DJSULL1
Chromium (Cr)	<b>&lt; 10</b>	ug/L		10	10	EPA 200.8	08/20/2013 11:01	DJSULL1
Copper (Cu)	<b>&lt; 10</b>	ug/L		10	10	EPA 200.8	08/20/2013 11:01	DJSULL1
Nickel (Ni)	<b>&lt; 10</b>	ug/L		10	10	EPA 200.8	08/20/2013 11:01	DJSULL1
Selenium (Se)	<b>&lt; 10</b>	ug/L		10	10	EPA 200.8	08/20/2013 11:01	DJSULL1
Silver (Ag)	<b>&lt; 10</b>	ug/L		10	10	EPA 200.8	08/20/2013 11:01	DJSULL1
Zinc (Zn)	<b>&lt; 10</b>	ug/L		10	10	EPA 200.8	08/20/2013 11:01	DJSULL1

Site: BioReactor 2 Eff

Collection Date: 14-Aug-13 7:50 AM

**Sample #: 2013019592**

Matrix: OTHER

Analyte	Result	Units	Qualifiers	RDL	DF	Method	Analysis Date/Time	Analyst
<b><u>NITRITE + NITRATE (COLORIMETRIC)</u></b>								
Nitrite + Nitrate (Colorimetric)	<b>&lt; 0.01</b>	mg-N/L		0.01	1	EPA 353.2	08/19/2013 12:49	BGN9034
<b><u>INORGANIC IONS BY IC</u></b>								
Bromide	<b>230</b>	mg/L		5	50	EPA 300.0	08/22/2013 15:30	JAHERMA
<b><u>Mercury by EPA 200.8 - (Analysis Performed by Applied Speciation and Consulting, LLC)</u></b>								
Vendor Parameter	<b>Complete</b>	ug/l				Vendor Method		V_AS&C
<b><u>TOTAL RECOVERABLE METALS BY ICP</u></b>								
Boron (B)	<b>282</b>	mg/L		0.5	10	EPA 200.7	08/23/2013 10:12	MHH7131
<b><u>TOTAL RECOVERABLE METALS BY ICP-MS</u></b>								
Arsenic (As)	<b>&lt; 5</b>	ug/L		5	5	EPA 200.8	08/20/2013 11:04	DJSULL1
Cadmium (Cd)	<b>&lt; 5</b>	ug/L		5	5	EPA 200.8	08/20/2013 11:04	DJSULL1
Chromium (Cr)	<b>&lt; 5</b>	ug/L		5	5	EPA 200.8	08/20/2013 11:04	DJSULL1
Copper (Cu)	<b>&lt; 5</b>	ug/L		5	5	EPA 200.8	08/20/2013 11:04	DJSULL1
Nickel (Ni)	<b>&lt; 5</b>	ug/L		5	5	EPA 200.8	08/20/2013 11:04	DJSULL1
Selenium (Se)	<b>&lt; 5</b>	ug/L		5	5	EPA 200.8	08/20/2013 11:04	DJSULL1
Silver (Ag)	<b>&lt; 5</b>	ug/L		5	5	EPA 200.8	08/20/2013 11:04	DJSULL1
Zinc (Zn)	<b>&lt; 5</b>	ug/L		5	5	EPA 200.8	08/20/2013 11:04	DJSULL1

# Certificate of Laboratory Analysis

Page 7 of 16

*This report shall not be reproduced, except in full.***Order # J13080300**

Site: BioReactor 2 Eff

Collection Date: 14-Aug-13 7:50 AM

**Sample #: 2013019592**

Matrix: OTHER

Analyte	Result	Units	Qualifiers	RDL	DF	Method	Analysis Date/Time	Analyst
<b><u>SELENIUM SPECIATION - (Analysis Performed by Applied Speciation and Consulting, LLC)</u></b>								
Vendor Parameter	Complete					Vendor Method		V_AS&C
<b><u>TOTAL DISSOLVED SOLIDS</u></b>								
TDS	22000	mg/L		25	1	SM2540C	08/26/2013 16:37	DSBAKE1

Site: Filter Blk

Collection Date: 25-Jul-13 2:00 PM

**Sample #: 2013019593**

Matrix: OTHER

Analyte	Result	Units	Qualifiers	RDL	DF	Method	Analysis Date/Time	Analyst
<b><u>DISSOLVED METALS BY ICP-MS</u></b>								
Selenium (Se)	1.58	ug/L		1	1	EPA 200.8	08/19/2013 11:54	DJSULL1

Site: TRIP BLANK

Collection Date: 14-Aug-13 8:05 AM

**Sample #: 2013019594**

Matrix: OTHER

Analyte	Result	Units	Qualifiers	RDL	DF	Method	Analysis Date/Time	Analyst
<b><u>TOTAL RECOVERABLE METALS BY ICP</u></b>								
Boron (B)	< 0.05	mg/L		0.05	1	EPA 200.7	08/23/2013 09:51	MHH7131
<b><u>TOTAL RECOVERABLE METALS BY ICP-MS</u></b>								
Arsenic (As)	< 1	ug/L		1	1	EPA 200.8	08/20/2013 10:47	DJSULL1
Cadmium (Cd)	< 1	ug/L		1	1	EPA 200.8	08/20/2013 10:47	DJSULL1
Chromium (Cr)	< 1	ug/L		1	1	EPA 200.8	08/20/2013 10:47	DJSULL1
Copper (Cu)	< 1	ug/L		1	1	EPA 200.8	08/20/2013 10:47	DJSULL1
Nickel (Ni)	< 1	ug/L		1	1	EPA 200.8	08/20/2013 10:47	DJSULL1
Selenium (Se)	< 1	ug/L		1	1	EPA 200.8	08/20/2013 10:47	DJSULL1
Silver (Ag)	< 1	ug/L		1	1	EPA 200.8	08/20/2013 10:47	DJSULL1
Zinc (Zn)	< 1	ug/L		1	1	EPA 200.8	08/20/2013 10:47	DJSULL1



**APPLIED SPECIATION  
AND CONSULTING, LLC**

18804 Northcreek Parkway Bothell, WA, 98011  
Tel: (425) 483-3300 Fax: (425) 483-9818  
[www.appliedspeciation.com](http://www.appliedspeciation.com)

September 5, 2013

Jay Perkins  
Duke Energy Analytical Laboratory  
Mail Code MGO3A2 (Building 7405)  
13339 Hagers Ferry Rd.  
Huntersville, NC 28078  
(704) 875-5245

Project: Belews - FGD WWTS (Bi-Monthly Routine 2013) (LIMS# J13080300)

Mr. Perkins,

Attached is the report associated with four (4) aqueous samples submitted for total mercury and selenium speciation analysis on August 15, 2013. The samples were received in a sealed cooler at -0.5°C on August 16, 2013. Selenium speciation analysis was performed via ion chromatography inductively coupled plasma collision reaction cell mass spectrometry (IC-ICP-CRC-MS). Mercury quantitation was performed via cold vapor inductively coupled plasma mass spectrometry (CV-ICP-MS). Any issues associated with the analysis are addressed in the following report.

If you have any questions, please feel free to contact me at your convenience.

Sincerely,

A handwritten signature in black ink, appearing to read "Russell Gerads", written over a light blue horizontal line.

Russell Gerads  
Vice President  
Applied Speciation and Consulting, LLC



## Applied Speciation and Consulting, LLC

Report prepared for:

Jay Perkins  
Duke Energy Analytical Laboratory  
Mail Code MGO3A2 (Building 7405)  
13339 Hagers Ferry Rd.  
Huntersville, NC 28078

Project: Belews - FGD WWTS (Bi-Monthly Routine 2013) (LIMS# J13080300)

September 5, 2013

## 1. Sample Reception

Three (3) aqueous samples were submitted for selenium speciation analysis on August 15, 2013. Three (3) additional samples were submitted for total mercury quantitation. All samples were received in acceptable condition on August 16, 2013 in a sealed container at -0.5°C.

All samples were received in a laminar flow clean hood, void of trace metals contamination and ultra-violet radiation, and were designated discrete sample identifiers. The 40mL borosilicate glass vials submitted for total mercury were preserved with bromine monochloride (BrCl) solution. The resulting samples were stored in a secure polyethylene container, known to be free from trace metals contamination, until the analyses could be performed.

An aliquot of each sample requiring selenium speciation evaluation was filtered (0.45µm) and each filtrate was stored in a secure, monitored cryofreezer (maintained at a temperature of -80°C) until selenium speciation analysis could be performed via ion chromatography inductively coupled plasma collision reaction cell mass spectrometry (IC-ICP-CRC-MS).

## 2. Sample Preparation

All sample preparation is performed in laminar flow clean hoods known to be free from trace metals contamination. All applied water for dilutions and sample preservatives are monitored for contamination to account for any biases associated with the sample results.

Total Mercury Quantitation by CV-ICP-MS All samples and preparation blanks for total mercury quantitation were preserved with 2% (v/v) BrCl. The resulting samples were analyzed for mercury via cold vapor inductively coupled plasma mass spectrometry (CV-ICP-MS).

*Selenium Speciation Analysis by IC-ICP-CRC-MS* Prior to analysis, an aliquot of each sample was filtered with a syringe filter (0.45 $\mu$ m) and injected directly into a sealed autosampler vial. No further sample preparation was performed as any chemical alteration of a sample may shift the equilibrium of the system, resulting in changes in speciation ratios.

### 3. Sample Analysis

All sample analysis is preceded by a minimum of a five-point calibration curve spanning the entire concentration range of interest. Calibration curves are performed at the beginning of each analytical day. All calibration curves, associated with each species of interest, are standardized by linear regression resulting in a response factor. All sample results are **instrument blank corrected** to account for any operational biases associated with the analytical platform.

Prior to sample analysis, all calibration curves are verified using second source standards which are identified as initial calibration verification standards (ICV).

Ongoing instrument performance is identified by the analysis of continuing calibration verification standards (CCV) and continuing calibration blanks (CCB) at a minimum interval of every ten analytical runs.

*Total Mercury Quantitation by CV-ICP-MS* The sample fractions for total mercury quantitation were analyzed by cold vapor inductively coupled plasma mass spectrometry (CV-ICP-MS) on August 29, 2013. Aliquots of each sample are reacted with a reductant in-line and transported to a gas-liquid separator. The volatile elemental mercury that is formed is then swept by a stream of argon gas into a radio frequency (RF) plasma where energy-transfer processes cause desolvation, atomization, and ionization. The ions are extracted from the plasma through a differentially-pumped vacuum interface and separated on the basis of their mass-to-charge ratio ( $m/z$ ) by a mass spectrometer. A solid-state detector detects ions transmitted through the mass analyzer and the resulting current is processed by a data handling system.

*Selenium Speciation Analysis by IC-ICP-CRC-MS* Each sample for selenium speciation analysis was analyzed by ion chromatography inductively coupled plasma collision reaction cell mass spectrometry (IC-ICP-CRC-MS) on August 21, 2013. An aliquot of each sample is injected onto an anion exchange column and mobilized by a basic ( $\text{pH} > 7$ ) gradient. The eluting selenium species are then introduced into a radio frequency (RF) plasma where energy-transfer processes cause desolvation, atomization, and ionization. The ions are extracted from the plasma through a differentially-pumped vacuum interface and travel through a pressurized chamber (CRC) containing a reaction gas which preferentially reacts with interfering ions of the same target mass to charge ratios ( $m/z$ ). A solid-state detector detects ions transmitted through the mass analyzer and the resulting current is processed by a data handling system.

Retention times for each eluting species are compared to known standards for species identification.

#### 4. Analytical Issues

The overall analyses went well and no significant analytical issues were encountered. All quality control parameters associated with these samples were within acceptance limits.

The estimated method detection limits (eMDLs) for selenite, selenate, and selenocyanate are generated from replicate analyses of the lowest standard in the calibration curve. Not all selenium species are present in preparation blanks; therefore, eMDL calculations based on preparation blanks are artificially biased low.

The eMDL for methylseleninic acid and selenomethionine is calculated from the average eMDL of selenite, selenate, and selenocyanate. The calibration does not contain methylseleninic acid or selenomethionine due to impurities in these standards which would bias the results for other selenium species.

The eMDL for mercury has been calculated using the standard deviation of the preparation blanks preserved and analyzed concurrently with the submitted samples.

If you have any questions or concerns regarding this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read 'Russell Gerads', with a stylized, flowing script.

Russell Gerads  
Vice President  
Applied Speciation and Consulting, LLC

Total Mercury & Selenium Speciation Results for Duke Energy  
 Project Name: Belews - FGD WWTS (Bi-Monthly Routine 2013)  
 Contact: Jay Perkins  
 LIMS #J13080300

Date: September 5, 2013  
 Report Generated by: Russell Gerads  
 Applied Speciation and Consulting, LLC

**Sample Results**

Sample ID	Total Hg	Se(IV)	Se(VI)	SeCN	MeSe(IV)	SeMe	Unknown Se Species (n)
FGD Purge Eff	NR	82.3	63.5	ND (< 0.70)	ND (< 1.4)	ND (< 1.4)	0 (0)
BioReactor 1 Inf	0.0643	18.9	48.4	ND (< 0.17)	1.06	ND (< 0.36)	0.36 (1)
BioReactor 2 Inf	0.0242	NR	NR	NR	NR	NR	NR
BioReactor 2 Eff	0.0114	ND (< 0.46)	ND (< 0.43)	ND (< 0.17)	ND (< 0.36)	ND (< 0.36)	0 (0)

All results reflect the applied dilution and are reported in µg/L

NR = Analysis not requested

ND = Not detected at the applied dilution

SeCN = Selenocyanate

MeSe(IV) = Methylseleninic acid

SeMe = Selenomethionine

Unknown Se Species = Total concentration of all unknown Se species observed by IC-ICP-MS

n = number of unknown Se species observed

Total Mercury & Selenium Speciation Results for Duke Energy  
 Project Name: Belews - FGD WWTS (Bi-Monthly Routine 2013)

Contact: Jay Perkins

LIMS #J13080300

Date: September 5, 2013

Report Generated by: Russell Gerads  
 Applied Speciation and Consulting, LLC

**Quality Control Summary - Preparation Blank Summary**

Analyte (µg/L)	PBW1	PBW2	PBW3	PBW4	Mean	StdDev	eMDL*	eMDL 5x	eMDL 250x	eMDL 1000x
Hg	0.0013	0.0008	0.0007	0.0003	0.0008	0.0004	0.0002	0.0012	-	-
Se(IV)	0.011	0.008	0.007	0.000	0.006	0.005	0.002	-	0.46	1.8
Se(VI)	-0.021	-0.026	-0.028	-0.033	-0.027	0.005	0.002	-	0.43	1.7
SeCN	0.000	0.000	0.000	0.000	0.000	0.000	0.001	-	0.17	0.70
MeSe(IV)	0.000	0.000	0.000	0.000	0.000	0.000	0.001	-	0.36	1.4
SeMe	0.000	0.000	0.000	0.000	0.000	0.000	0.001	-	0.36	1.4

eMDL = Estimated Method Detection Limit

\*Please see narrative regarding eMDL calculations

**Quality Control Summary - Certified Reference Materials**

Analyte (µg/L)	CRM	True Value	Result	Recovery
Hg	NIST 1641d	1568	1464	93.4
Se(IV)	LCS	4.79	4.85	101.3
Se(VI)	LCS	4.74	4.72	99.5
SeCN	LCS	4.46	4.47	100.3
MeSe(IV)	LCS	3.24	3.35	103.7
SeMe	LCS	4.66	4.47	95.9

Total Mercury & Selenium Speciation Results for Duke Energy  
 Project Name: Belews - FGD WWTS (Bi-Monthly Routine 2013)

Contact: Jay Perkins

LIMS #J13080300

Date: September 5, 2013

Report Generated by: Russell Gerads

Applied Speciation and Consulting, LLC

**Quality Control Summary - Matrix Duplicates**

Analyte (µg/L)	Sample ID	Rep 1	Rep 2	Mean	RPD
Hg	BioReactor 2 Eff	0.0114	0.0121	0.0118	6.0
Se(IV)	Batch QC	0.48	0.48	0.48	0.9
Se(VI)	Batch QC	ND (< 0.43)	ND (< 0.43)	NC	NC
SeCN	Batch QC	ND (< 0.17)	ND (< 0.17)	NC	NC
MeSe(IV)	Batch QC	ND (< 0.36)	ND (< 0.36)	NC	NC
SeMe	Batch QC	ND (< 0.36)	ND (< 0.36)	NC	NC

ND = Not detected at the applied dilution

NC = Value was not calculated due to one or more concentrations below the eMDL

**Quality Control Summary - Matrix Spike/ Matrix Spike Duplicate**

Analyte (µg/L)	Sample ID	Spike Conc	MS Result	Recovery	Spike Conc	MSD Result	Recovery	RPD
Hg	BioReactor 2 Eff	2.000	2.146	106.7	2.000	2.148	106.8	0.1
Se(IV)	Batch QC	1390	1383	99.4	1390	1384	99.6	0.1
Se(VI)	Batch QC	1261	1241	98.4	1261	1243	98.5	0.2
SeCN	Batch QC	1144	1092	95.5	1144	1089	95.2	0.2







# CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST FORM



## Duke Energy Analytical Laboratory

Mail Code MGO3A2 (Building 7405)  
13339 Hagers Ferry Rd  
Huntersville, N. C. 28078  
(704) 875-5245  
Fax: (704) 875-4349

## Analytical Laboratory Use Only

ORDER# <b>J13080300</b>	MATRIX: OTHER	Samples Originating From NC SC
Logged By <b>R/L</b>	Date & Time <b>8/15/13 1139</b>	SAMPLE PROGRAM Water Ground NPDES Drinking Water UST RCRA Waste
Cooler Temp (C) <b>1.5</b>		

Page 16 of 16  
Page 1 of 2  
DISTRIBUTION  
ORIGINAL to LAB,  
COPY to CLIENT

AS&C  
PO#650910

15 Preserv.: 1=HCL  
2=H<sub>2</sub>SO<sub>4</sub> 3=HNO<sub>3</sub>  
4=Ice 5=None

MR #

Customer to complete all appropriate non-shaded areas.

Sampling conducted: 2nd and 4th Wednesday

Se Speciation Bottle

ID

13 Sample Description or ID

Date Time Signature

17 Comp.

18 Grab

TDS

Br (Dionex)

Metals\* + Hg 245.1\*\*

Se (IMS), filtered

NO3-NO2

Hg 200.8 (V\_AS&C)

Se, speciation - vendor to AS&C (Important to place filled bottle back into both baggies)

LAB USE ONLY

11 Lab ID

2013019588

89

90

91

92

93

94

Customer to complete appropriate columns to right

ID	13 Sample Description or ID	Date	Time	Signature	17 Comp.	18 Grab	TDS	Br (Dionex)	Metals* + Hg 245.1**	Se (IMS), filtered	NO3-NO2	Hg 200.8 (V_AS&C)	Se, speciation - vendor to AS&C (Important to place filled bottle back into both baggies)
	FGD Purge Eff	8/14	0730	[Signature]				1	1	1	1		1
	EQ Tank Eff.		0735						1	1			
	BioReactor 1 Inf		0740						1**	1	1	1	1
	BioReactor 2 Inf		0745						1**			1	
	BioReactor 2 Eff		0750				1	1	1**		1	1	1
	Filter Blk	7/25	1400	[Signature]						1			
	Metals Trip Blk	8/14	0805	[Signature]					1**				
Filtering of the Se is performed in the field please provide a filter blank too.													

Return Kit to Travis Thorton @ Belevs

1) Relinquished By [Signature]	Date/Time 8/14/13 0240pm	2) Accepted By COURIER	Date/Time 8/14/13
3) Relinquished By COURIER	Date/Time 8/15/13 1130	4) Accepted By [Signature]	Date/Time 8/15/13 1130
5) Relinquished By	Date/Time	6) Accepted By	Date/Time
7) Relinquished By [Signature]	Date/Time 8/15/13 1300	8) Accepted By	Date/Time
9) Seal/Locked By [Signature]	Date/Time 8/15/13 1300	10) Seal/Lock Opened By	Date/Time
11) Seal/Locked By	Date/Time	12) Seal/Lock Opened By	Date/Time

Customer, IMPORTANT!  
Please indicate desired turnaround.

22 Requested Turnaround

21 Days \_\_\_\_\_

\*7 Days \_\_\_\_\_

\*48 Hr \_\_\_\_\_

\*Other \_\_\_\_\_

\* Add. Cost Will Apply

8/28/13

\* B by TRM/ICP As, Cd, Cr, Cu, Ni, Se, Ag, Zn by TRM/IMS 1\*\*=No Hg